INDEXES TO VOLUME 39

July issue	pp 1–110
August issue	pp 111–222
September issue	pp 223–332
October issue	pp 333–442
November issue	pp 443–560
December issue	pp 561–694

Author Index

Abramson DL, 454
Ada E, 308
Adzick NS, 374
Ahçioğlu F, 516
Ahmed SS, 495
Ahn K-Y, 597
Aihara M, 608
Akamatsu T, 245
Akbaş H, 218
Akgüner M, 656
Akita S, 435
Akyürek M, 411
Alaranta H, 229
Allan D, 109
Alster TS, 418
Arakaki M, 472
Arons MS, 668
Asko-Seljavaara S, 229
Atabey A, 190

Baik B-S, 145
Baldwin BJ, 141
Barie PS, 74
Barişta I, 411
Barutçu A, 30, 190, 278, 308, 656
Başer Tan N, 654
Bayramiçli M, 218, 662
Beasley RW, 47
Beaton D, 287
Becking AG, 266
Beil RJ Jr, 110
Benedict JJ, 158
Bennett JD, 44
Benos DJ, 114
Bentz ML, 578
Berger M, 583
Bergman BA, 131
Biemer E, 235
Bilgic L, 505
Bilkay U, 100
Black JJ, 141
Blomqvist L, 532
Blot W, 1
Bolayirli M, 505
Borgognoni L, 552
Boyce DE, 552
Boyce S, 390
Bozdoğan MN, 213
Bradley J, 158
Breitbart AS, 47
Breiting V, 1
Browne E Jr, 500
Brunner CA, 235
Buchman SR, 583
Bulan R, 516
Bullard KM, 374
Burcak G, 505
Burdi AR, 221
Byun J-S, 145

Cagdas A, 100
Caldwell EH, 443
Calobrace MB, 186
Canady JW, 222
Cárdenas-Camarena L, 669
Carney G, 292
Casar RS, 47
Cass DL, 374
Cetinkale O, 505, 516
Chaglassian T, 178
Chana JS, 261
Chen C-C, 590
Chen C-T, 87
Chen Y-R, 87, 624, 638
Cheng M-H, 638
Cho B-C, 145
Choudhary S, 552
Chowdhary S, 106
Cicchetti S, 333
Cohen M, 36
Cohen V, 647
Cooper MD, 131
Cordeiro PG, 53, 461, 524
Coşkunfirat OK, 213
Cox C, 546
Cruse CW, 299
Cunningham BL, 337

Dagum AB, 287
Delimar D, 332
Demir A, 218
Demir Z, 213
Doğan T, 218
Downey SE, 186
Dunofsky M, 223
Dzwierzynski WW, 303

Erdmann D, 131
Eroglu L, 218
Evans GRD, 141

Fahey AL, 561
Feldman JJ, 571
Fornasier V, 9
Foshager MC, 337
Fourie LR, 261
Freedlander E, 390
Freiberg AA, 110
Friis S, 1
Frisch E, 114
Fritsche E, 556
Fudem GM, 201
Fujii T, 435, 472
Fukuda K, 670

Garcia L, 105
Gardiner GW, 287
Gatti JE, 122
Gault DT, 366
Gayle LB, 74
George CA, 80
Ghosh MM, 390
Gibstein LA, 454
Gilead LT, 542
Glat PM, 47
Gököz A, 411
Golembe E, 105
Gorney M, 666
Greenholz SK, 615
Greif J, 36
Griffiths HJ, 337
Grobbelaar AO, 366
Gröner R, 235
Grossman JAI, 47
Guerrissi J, 447
Güler MM, 437
Gundogan H, 100
Gur E, 36
Gurler T, 100
Gürünlüoğlu R, 218, 662
Gutowski KA, 337

Hage JJ, 266
Hallock GG, 60, 111
Han D-G, 597
Han K, 24
Haraoka G, 405
Harrison MR, 374
Hartschuh W, 169
Hataya Y, 182, 668
Hayashi I, 405
Hayashi M, 97
Heerdt P, 524
Hill DP Jr, 292
Hoffman LA, 74
Horlock N, 366
Horowitz Z, 603
Hosokawa K, 670
Hsueh C, 624
Hu QY, 524
Hui KC, 84
Hussman J, 131
Hwang J-w, 597
Hydo LJ, 74

Ibanez D, 9
Imperiale A, 333
Inoue H, 608
Isik S, 437
Isenberg JS, 193, 332
Ishida H, 483, 608
Iwasawa M, 182

Jang K-s, 597
Javaheri S, 299
Jeng S-F, 360
Johnson JP, 235
Johnson PJ, 578

Kakibuchi M, 670
Kamiji T, 554
Kao JT, 287
Karaca C, 278
Karacaoğlan N, 218
Kasten SJ, 583
Kaul MP, 469
Kayikçioğlu A, 411
Kececi Y, 100
Keçik A, 381
Kiliçalp A, 656
Kinnunen J, 229
Kirişoğlu Ü, 190
Kishi T, 536
Kiyono M, 182
Kjær SK, 1
Knapp TR, 333
Knipper P, 566
Ko F, 292
Kobayashi S, 64, 628, 633
Komori T, 210
Kon M, 254
Kondo K, 435
Koopmann CF Jr, 111
Kopolovitch J, 603
Korkut T, 654
Kostakoğlu N, 381
Kreipe RE, 443
Krishna A, 106, 241, 552
Krizek TJ, 557
Kroll SS, 141
Kronenberg J, 603
Kumagai N, 68, 483
Kurtay A, 213
Kushima H, 182

Lai C-S, 196
Lai J-P, 87
Lalikos JF, 201
Landis GH, 337
Layton C, 390
Lee J-H, 145
Leone MS, 333
Levine JP, 158
Liao K-B, 196
Lille S, 435
Lin C-H, 590
Lin S-D, 196
Lineaweaver WC, 84
Liokumovitch P, 603
Lo L-J, 624
Longaker MT, 158
Losee JE, 443
Lugowski S, 9

Mac Neil S, 390
Mahoney JL, 287
Maladry D, 566
Malm M, 532
Marshall WR, 668
Maruyama Y, 205
Masada Y, 97
Matloub HS, 303
Matthews MS, 561
Mavili ME, 353
Mayhall CG, 668
Mazolewski PJ, 131
McCarthy JG, 158
McGregor CE, 337
McLaughlin JK, 1
Medot M, 337
Meland NB, 221
Mellemkjær L, 1
Menderes A, 30, 190, 278
Méndez-Fernández MA, 620
Miller MJ, 141, 220
Mirzai TH, 578
Mitz V, 566
Miyasaka M, 245
Mohan D, 106, 241, 552
Monstrey SJ, 105
Morain WD, 103, 216, 433, 550
Motamedi B, 314
Muraoka M, 405
Murray DS, 342
Mutaf M, 472

 Copyright © 1997 by Lippincott-Raven Publishers

INDEXES TO VOLUME 39

July issue	pp 1–110
August issue	pp 111–222
September issue	pp 223–332
October issue	pp 333–442
November issue	pp 443–560
December issue	pp 561–694

Author Index

Abramson DL, 454
Ada E, 308
Adzick NS, 374
Ahçioğlu F, 516
Ahmed SS, 495
Ahn K-Y, 597
Aihara M, 608
Akamatsu T, 245
Akbaş H, 218
Akgüner M, 656
Akita S, 435
Akyürek M, 411
Alaranta H, 229
Allan D, 109
Alster TS, 418
Arakaki M, 472
Arons MS, 668
Asko-Seljavaara S, 229
Atabey A, 190

Baik B-S, 145
Baldwin BJ, 141
Barie PS, 74
Barişta I, 411
Barutçu A, 30, 190, 278, 308, 656
Başer Tan N, 654
Bayramiçli M, 218, 662
Beasley RW, 47
Beaton D, 287
Becking AG, 266
Beil RJ Jr, 110
Benedict JJ, 158
Bennett JD, 44
Benos DJ, 114
Bentz ML, 578
Berger M, 583
Bergman BA, 131
Biemer E, 235
Bilgic L, 505
Bilkay U, 100
Black JJ, 141
Blomqvist L, 532
Blot W, 1
Bolayirli M, 505
Borgognoni L, 552
Boyce DE, 552
Boyce S, 390
Bozdoğan MN, 213
Bradley J, 158
Breitbart AS, 47
Breiting V, 1
Browne E Jr, 500
Brunner CA, 235
Buchman SR, 583
Bulan R, 516
Bullard KM, 374
Burcak G, 505
Burdi AR, 221
Byun J-S, 145

Cagdas A, 100
Caldwell EH, 443
Calobrace MB, 186
Canady JW, 222
Cárdenas-Camarena L, 669
Carney G, 292
Casar RS, 47
Cass DL, 374
Cetinkale O, 505, 516
Chaglassian T, 178
Chana JS, 261
Chen C-C, 590
Chen C-T, 87
Chen Y-R, 87, 624, 638
Cheng M-H, 638
Cho B-C, 145
Choudhary S, 552
Chowdhary S, 106
Cicchetti S, 333
Cohen M, 36
Cohen V, 647
Cooper MD, 131
Cordeiro PG, 53, 461, 524
Coşkunfirat OK, 213
Cox C, 546
Cruse CW, 299
Cunningham BL, 337

Dagum AB, 287
Delimar D, 332
Demir A, 218
Demir Z, 213
Doğan T, 218
Downey SE, 186
Dunofsky M, 223
Dzwierzynski WW, 303

Erdmann D, 131
Eroglu L, 218
Evans GRD, 141

Fahey AL, 561
Feldman JJ, 571
Fornasier V, 9
Foshager MC, 337
Fourie LR, 261
Freedlander E, 390
Freiberg AA, 110
Friis S, 1
Frisch E, 114
Fritsche E, 556
Fudem GM, 201
Fujii T, 435, 472
Fukuda K, 670

Garcia L, 105
Gardiner GW, 287
Gatti JE, 122
Gault DT, 366
Gayle LB, 74
George CA, 80
Ghosh MM, 390
Gibstein LA, 454
Gilead LT, 542
Glat PM, 47
Gököz A, 411
Golembe E, 105
Gorney M, 666
Greenholz SK, 615
Greif J, 36
Griffiths HJ, 337
Grobbelaar AO, 366
Gröner R, 235
Grossman JAI, 47
Guerrissi J, 447
Güler MM, 437
Gundogan H, 100
Gur E, 36
Gurler T, 100
Gürünlüoğlu R, 218, 662
Gutowski KA, 337

Hage JJ, 266
Hallock GG, 60, 111
Han D-G, 597
Han K, 24
Haraoka G, 405
Harrison MR, 374
Hartschuh W, 169
Hataya Y, 182, 668
Hayashi I, 405
Hayashi M, 97
Heerdt P, 524
Hill DP Jr, 292
Hoffman LA, 74
Horlock N, 366
Horowitz Z, 603
Hosokawa K, 670
Hsueh C, 624
Hu QY, 524
Hui KC, 84
Hussman J, 131
Hwang J-w, 597
Hydo LJ, 74

Ibanez D, 9
Imperiale A, 333
Inoue H, 608
Isik S, 437
Isenberg JS, 193, 332
Ishida H, 483, 608
Iwasawa M, 182

Jang K-s, 597
Javaheri S, 299
Jeng S-F, 360
Johnson JP, 235
Johnson PJ, 578

Kakibuchi M, 670
Kamiji T, 554
Kao JT, 287
Karaca C, 278
Karacaoğlan N, 218
Kasten SJ, 583
Kaul MP, 469
Kayikçioğlu A, 411
Kececi Y, 100
Keçik A, 381
Kiliçalp A, 656
Kinnunen J, 229
Kirişoğlu Ü, 190
Kishi T, 536
Kiyono M, 182
Kjær SK, 1
Knapp TR, 333
Knipper P, 566
Ko F, 292
Kobayashi S, 64, 628, 633
Komori T, 210
Kon M, 254
Kondo K, 435
Koopmann CF Jr, 111
Kopolovitch J, 603
Korkut T, 654
Kostakoğlu N, 381
Kreipe RE, 443
Krishna A, 106, 241, 552
Krizek TJ, 557
Kroll SS, 141
Kronenberg J, 603
Kumagai N, 68, 483
Kurtay A, 213
Kushima H, 182

Lai C-S, 196
Lai J-P, 87
Lalikos JF, 201
Landis GH, 337
Layton C, 390
Lee J-H, 145
Leone MS, 333
Levine JP, 158
Liao K-B, 196
Lille S, 435
Lin C-H, 590
Lin S-D, 196
Lineaweaver WC, 84
Liokumovitch P, 603
Lo L-J, 624
Longaker MT, 158
Losee JE, 443
Lugowski S, 9

Mac Neil S, 390
Mahoney JL, 287
Maladry D, 566
Malm M, 532
Marshall WR, 668
Maruyama Y, 205
Masada Y, 97
Matloub HS, 303
Matthews MS, 561
Mavili ME, 353
Mayhall CG, 668
Mazolewski PJ, 131
McCarthy JG, 158
McGregor CE, 337
McLaughlin JK, 1
Medot M, 337
Meland NB, 221
Mellemkjær L, 1
Menderes A, 30, 190, 278
Méndez-Fernández MA, 620
Miller MJ, 141, 220
Mirzai TH, 578
Mitz V, 566
Miyasaka M, 245
Mohan D, 106, 241, 552
Monstrey SJ, 105
Morain WD, 103, 216, 433, 550
Motamedi B, 314
Muraoka M, 405
Murray DS, 342
Mutaf M, 472

 Copyright © 1997 by Lippincott-Raven Publishers

Nagase T, 64
Nakajima H, 536
Narsete TA, 652
Negishi N, 489
Netscher D, 647
Neves RI, 461
Niessen FB, 254
Nishimoto S, 670
Nishimura M, 245
Noever G, 556
Noordhoff MS, 624
Nordström REA, 20
Nowicky D, 546
Nozaki M, 174, 489
Numanoğlu A, 218
Numanoğlu A, 662
Nyström Å, 317

Ohmori K, 64, 628, 633
Ohtsuka H, 669
Ohtsuka Y, 182
Okada E, 205
Okazaki M, 643
Olsen JH, 1
Onishi K, 205
Orgill DP, 454
Osada M, 245
Oshima H, 483, 608
Otto A, 435
Özbay G, 516
Özgür F, 411
Öztan Y, 654

Padubidri AN, 500
Papay FA, 347
Park D-h, 597
Passarelli B, 333
Pennekamp A, 80
Peters W, 9
Pfyffer GE, 80
Pierce J, 495
Polo M, 292
Pribaz JJ, 454

Ramakrishnan V, 435, 555
Raposio E, 20, 416
Raulin C, 169
Raurell A, 435
Raveh T, 542
Reali UM, 552
Reece GP, 141
Reid M, 495
Reintgen DS, 299
Restifo RJ, 495
Ricci JL, 158
Richards RS, 44, 314
Robb GL, 141
Robinson OG Jr, 114
Robson MC, 292
Röjdmark JSA, 532
Rubinstein J, 47
Ruef C, 80
Russell RC, 131

Saad G, 566
Sainio P, 229
Sakurai A, 643
Sanger JR, 303
Santamaria E, 53, 524
Santi P, 333, 416
Sarkissian P, 447
Sasaki K, 174, 489
Saunders CJ, 615
Schoeller T, 435
Schönermark MP, 169
Schusterman MA, 141
Schwartz M, 461
Segnitz J, 84
Sekiya S, 64
Selmanpakoğlu N, 437
Senel O, 505
Ŝenel O, 516
Sengul R, 505
Serletti JM, 443
Shafir R, 36
Shaikh N, 74
Singer S, 454
Smith D, 9
Smith DJ Jr, 330
Smoot EC, 131
Soejima K, 489
Southern S, 435
Southern SJ, 555, 573
Sozumi T, 272
Spauwen PHM, 254
Stadelmann WK, 299
Staffenberg DA, 47
Stanec S, 332
Stanec Z, 332
Stanton-Hicks M, 347
Stassen JM, 317
Steiner G, 158
Stelnicki EJ, 374
Stevenson C, 583
Stevenson TR, 220
Stokes RB, 615
Suominen S, 229
Swift R, 94
Sylaidis P, 342

Tajima S, 536
Takagi T, 97
Takato T, 210
Takeuchi M, 174, 489
Talmi YP, 603
Talmor M, 74
Tanabe M, 483
Tanaka K, 435, 472
Tanino R, 245
Tasaki Y, 472
Tellioğlu AT, 106, 137
Thomson JG, 495, 556
Tomioka M, 608
Trelles MA, 105
Tsai C-C, 196
Tsuchiya Y-i, 536
Tuma R, 461
Tung T-C, 87
Turan N, 218
Turk AE, 158
Türkgüven Y, 213

Uchikoshi T, 68
Uretsky BF, 668
Vayvada H, 190, 278, 308
Velidedeoğlu HV, 213
Venkataramakrishnan V, 106, 573
Venkat Ramakrishnan V, 241
Verghese A, 347
Villafane O, 241
Vossen M, 266

Wakami S, 405
Walker TM, 84
Watson HK, 659
Wechselberger G, 435
Wei F-C, 360, 590
Weinzweig J, 108, 659
Weiss J, 36
Werner S, 169
Wertheym E, 36
West TB, 418
Wexler MR, 542
Wheatley MJ, 94, 469
Whetzel TP, 615
Wolf M, 603
Wolfe SA, 359
Wood S, 342
Worland RG, 332
Wright TE, 292
Wu W-C, 590
Wüest J, 80

Yager JS, 178
Yamada H, 536
Yaniv Y, 36
Yavuz I, 218
Yilmaz M, 30, 278, 308
Yonehara Y, 210
Yoshioka N, 405
Yoshitatsu S, 670
Young R, 546
Young VL, 333
Yousif NJ, 303
Yoza S, 628, 633

Zamboni WA, 131
Zins J, 347

July issue	pp 1–110
August issue	pp 111–222
September issue	pp 223–332
October issue	pp 333–442
November issue	pp 443–560
December issue	pp 561–694

Subject Index

Abdomen
method of breast reconstruction with a deepithelialized TRAM flap via the abdominal approach for failed implant salvage in postmastectomy patients (Yager and Chaglassian) 1997;39:178 (Case report)
method of reconstructing a natural-looking umbilicus in abdominoplasty (Otto et al) 1997; 39:435 (Letter)
re: tumescent miniabdominoplasty (Worland) 1997; 39:332 (Letter)
uncomplicated pregnancy following total bilateral rectus harvest: a case report (Walker et al) 1997; 39:84 (Case report)

Abdominal neoplasms
Klippel-Trenaunay-Weber syndrome associated with intra-abdominal lymphangioma requiring multiple surgical interventions (Kondo et al) 1997;39:435 (Letter)

Abdominal wall
abdominal wall competence after free transverse rectus abdominis musculocutaneous flap harvest: a prospective study (Suominen et al) 1997;39:229

Abductor digiti minimi
ulnar nerve compression at the wrist secondary to anomalous muscles: a patient with a variant of abductor digiti minimi (Netscher and Cohen) 1997;39:647 (Case report)

Accidents, traffic
mechanisms of burn injury secondary to airbag deployment (Hallock) 1997;39:111

Adenocarcinoma, papillary
malignant mixed tumor of the parotid with myoepithelial carcinomatous and papillary adenocarcinomatous components (Akgüner et al) 1997;39:656 (Case report)

Adipofascial flaps; *see* **Flaps, adipofascial**

Adjuvant therapy; *see* **Chemotherapy, adjuvant**

Adriamycin; *see* **Doxorubicin**

Advancement flaps; *see* **Flaps, advancement**

Airbags; *see* **Protective devices**

Albinism
treatment of extensive hypomelanosis with autologous cultured epithelium (Kumagai and Uchikoshi) 1997;39:68

Anastomosis, surgical
end-on-side microvascular anastomosis: an experimental study (Tellioğlu) 1997;39:137
treatment of a degloved hand injury by arteriovenous anastomosis: a case report (Takeuchi et al) 1997;39:174 (Case report)

Angiography
re: selective use of preoperative lower extremity arteriography and free flap reconstruction (Isenberg) 1997;39:332 (Letter)

Ankle
hydroxyurea-related ankle ulcers in patients with myeloproliferative disorders: a case report and review of the literature (Cox et al) 1997;39:546 (Case report)

Antithrombotic agents; *see* **Fibrinolytic agents**

Anus
carbon dioxide laser ablation of anogenital condyloma acuminata in pediatric patients (Johnson et al) 1997;39:578

Arm
benign giant schwannoma located in the upper arm (Kececi et al) 1997;39:100 (Case report)
bilobed fasciocutaneous flap for primary repair of a large upper arm defect with secondary closure of the donor site without a skin graft (Onishi et al) 1997;39:205 (Case report)
case report: sequential vascular connection of free flaps in the upper extremity (Dzwierzynski et al) 1997;39:303 (Case report)
reverse lateral arm adipofascial flap for elbow coverage (Lai et al) 1997;39:196 (Case report)
single-stage, multimodality treatment of soft-tissue sarcoma of the extremity (Abramson et al) 1997; 39:454
upper limb reconstruction with reverse flaps: a review of 52 patients with emphasis on flap selection (Kostakoğlu and Keçik) 1997;39:381

Arterialized flaps; *see* **Flaps, vascularized**

Arteriography; *see* **Angiography**

Arteriovenous anastomosis; *see* **Anastomosis, surgical**

Arteriovenous fistula
management of a large arteriovenous fistula in the face: a case of neurofibromatosis type 1 (Yilmaz et al) 1997;39:308 (Case report)

Arteriovenous malformations
patient with unusual vascular malformation of cheek to lip and deep tissues (Ohtsuka) 1997;39: 669 (Letter)

Arthrodesis
experimental study of small-joint compression arthrodesis (Breitbart et al) 1997;39:47
role of pedicled or free fibular grafts in knee arthrodesis (Hallock) 1997;39:60

Artificial dermis; *see* **Skin, artificial**

Augmentation mammaplasty; *see* **Mammaplasty**

Auricular artery, posterior
anatomy of the postauricular island "revolving door" flap (Talmi et al) 1997;39:603

Basal cell nevus syndrome
Gorlin's syndrome: the role of the carbon dioxide laser in patient management (Grobbelaar et al) 1997;39:366

 Copyright © 1997 by Lippincott-Raven Publishers

Beads
bead and wire intermaxillary fixation (Arons) (Letter); (Hataya) (Reply) 1997;39:668
Biopsy
application of bilayer artificial skin to a defect following excisional biopsy for malignant melanomalike lesion (Hosokawa et al) 1997;39:670 (Letter)
Blepharoplasty; *see* **Eyelids**
Blood circulation
effects of vasoactive medications on the blood flow of island musculocutaneous flaps in swine (Cordeiro et al) 1997;39:524
mapping of the human body skin with laser Doppler flowmetry (Park et al) 1997;39:597
Blue nevus; *see* **Nevus, pigmented**
Board examinations; *see* **Examinations**
Bone, transplantation
bone morphogenetic protein promotes vascularization and osteoinduction in preformed hydroxyapatite in the rabbit (Levine et al) 1997;39:158
osseous autografts covered with temporalis fascia: looking for greater survival (Cárdenas-Camarena) 1997;39:669 (Letter)
pedicled bone grafts to treat nasal bone defects associated with full-thickness loss of nose (Kobayashi et al) 1997;39:633 (Case report)
Bone morphogenetic protein
bone morphogenetic protein promotes vascularization and osteoinduction in preformed hydroxyapatite in the rabbit (Levine et al) 1997;39:158
Bone neoplasms
maxillary myxoma treated with wide resection and immediate reconstruction: a case report (Chen et al) 1997;39:87 (Case report)
Bone screws
titanium screw implants for intermaxillary fixation of partially edentulous jaw, with invited discussion by Wolfe (Mavili) 1997;39:353
Bone wires
bead and wire intermaxillary fixation (Arons) (Letter); (Hataya) (Reply) 1997;39:668
experimental study of small-joint compression arthrodesis (Breitbart et al) 1997;39:47
Book reviews
Contemporary Extensile Exposures in Orthopaedic Surgery, by Williams and Heckman (Freiberg) 1997;39:110
Endoscopic, Aesthetic, and Reconstructive Surgery, by Sasaki (Miller) 1997;39:220
Essentials of Facial Growth, by Enlow and Hans (Burdi) 1997;39:221
Pediatric Otolaryngology, by Bluestone et al (Koopmann) 1997;39:111
Rhinoplasty: The Art and the Science, by Tardy (Stevenson) 1997;39:220
A Rhinoplasty Tetralogy, by Millard Jr (Beil) 1997;39:110
Soft Tissue Reconstruction in the Upper Extremity, by Richards (Meland) 1997;39:221
Surgery of the Upper Respiratory System, by Montgomery (Canady) 1997;39:222
Botulinum toxins
local injection into mimetic muscles of botulinum toxin A for the treatment of facial lines (Guerrissi and Sarkissian) 1997;39:447
Brachioradialis muscle
brachioradialis musculocutaneous flap closure of the elbow utilizing a distal skin island: a case report (Lalikos and Fudem) 1997;39:201 (Case report)
Breast
complex regional pain syndrome of the breast in a patient after breast reduction (Papay et al) 1997;39:347
connective tissue disease and other rheumatic conditions following breast implants in Denmark (Friis et al) 1997;39:1
effects of capsular contracture on ultrasonic screening for silicone gel breast implant rupture (Medot et al) 1997;39:337
expression of CD44-v6-containing isoform on breast tissue adjacent to silicone breast implants (Brunner et al) 1997;39:235
mammcgraphic visualization of a nonpalpable breast mass through a radiolucent breast implant (Santi et al) 1997;39:333
method of breast reconstruction with a deepithelialized TRAM flap via the abdominal approach for failed implant salvage in postmastectomy patients (Yager and Chaglassian) 1997;39:178 (Case report)
outcome analysis of 100 women after explantation of silicone gel breast implants (Peters et al) 1997;39:9
Poland's deformity reconstruction with a customized, extrasoft silicone prosthesis (Gatti) 1997;39:122
re: augmentation mammoplasty associated with a severe systemic illness (Marshall) (Letter); (Uretsky and Mayhall) (Reply) 1997;39:668
spontaneous autoinflation of saline mammary implants, with invited discussion by Frisch (Robinson and Benos) 1997;39:114
twin flap technique for nipple reconstruction (Venkat Ramakrishnan et al) 1997;39:241
Bulimia
reduction mammaplasty in patients with bulimia nervosa (Losee et al) 1997;39:443
Burns
mechanisms of burn injury secondary to airbag deployment (Hallock) 1997;39:111
plastic surgical considerations in lightning injuries (Matthews and Fahey) 1997;39:561
role of nitric oxide in vascular permeability after a thermal injury (Sozumi) 1997;39:272

Calcaneus
great saphenous vein fasciocutaneous island flap

for immediate calcaneal wound reconstruction (Isenberg) 1997;39:193 (Case report)
Calvarium; *see* **Skull**
Carbon dioxide
carbon dioxide laser ablation of anogenital condyloma acuminata in pediatric patients (Johnson et al) 1997;39:578
Gorlin's syndrome: the role of the carbon dioxide laser in patient management (Grobbelaar et al) 1997;39:366
Carcinoma
malignant mixed tumor of the parotid with myoepithelial carcinomatous and papillary adenocarcinomatous components (Akgüner et al) 1997;39:656 (Case report)
sentinel node excision for the diagnosis of metastatic neuroendocrine carcinoma of the skin: a case report (Javaheri et al) 1997;39:299 (Case report)
Carpal tunnel syndrome
abnormalities of the hook of the hamate in patients with carpal tunnel syndrome (Richards and Bennett) 1997;39:44
less common causes of carpal tunnel syndrome (Choudhary et al) 1997;39:552 (Letter)
recurrent carpal tunnel syndrome following endoscopic carpal tunnel release: a preliminary report (Wheatley and Kaul) 1997;39:469
Cartilage
re: how to harvest a septal chondromucosal graft (Tellioğlu) 1997;39:106 (Letter)
Case reports
benign giant schwannoma located in the upper arm (Kececi et al) 1997;39:100
bilobed fasciocutaneous flap for primary repair of a large upper arm defect with secondary closure of the donor site without a skin graft (Onishi et al) 1997;39:205
brachioradialis musculocutaneous flap closure of the elbow utilizing a distal skin island: a case report (Lalikos and Fudem) 1997;39:201
calvarial deformity and remodeling following prolonged scalp expansion in a child (Calobrace and Downey) 1997;39:186
case report: sequential vascular connection of free flaps in the upper extremity (Dzwierzynski et al) 1997;39:303
combined reverse temporalis muscle flap and pericranial flap for reconstruction of an anterior cranial base defect: a case report (Atabey et al) 1997;39:190
effective treatment of hypertrichosis with pulsed light: a report of two cases (Raulin et al) 1997;39:169
first case of surgical treatment of Farber's disease (Haraoka et al) 1997;39:405
functional reconstruction of total lower lip defects with a radial forearm free flap combined with a depressor anguli oris muscle transfer (Kushima et al) 1997;39:182
giant cell tumor of the proximal phalanx: a case report (Motamedi and Richards) 1997;39:314
giant cutaneous horn: a patient report (Korkut et al) 1997;39:654
great saphenous vein fasciocutaneous island flap for immediate calcaneal wound reconstruction (Isenberg) 1997;39:193
hydroxyurea-related ankle ulcers in patients with myeloproliferative disorders: a case report and review of the literature (Cox et al) 1997;39:546
infantile myofibromatosis: a solitary lesion involving the upper lip (Lo et al) 1997;39:624
lateral ray polydactyly: a case of duplicated metatarsal with normal phalanges (Hayashi et al) 1997;39:97
lupus vulgaris of the earlobe (Okazaki and Sakurai) 1997;39:643
malignant fibrous histiocytoma degeneration in a patient with facial fibrous dysplasia (Cheng and Chen) 1997;39:638
malignant mixed tumor of the parotid with myoepithelial carcinomatous and papillary adenocarcinomatous components (Akgüner et al) 1997;39:656
management of a large arteriovenous fistula in the face: a case of neurofibromatosis type 1 (Yilmaz et al) 1997;39:308
maxillary myxoma treated with wide resection and immediate reconstruction: a case report (Chen et al) 1997;39:87
metastatic malignant blue nevus: a case report (Özgür et al) 1997;39:411
method of breast reconstruction with a deepithelialized TRAM flap via the abdominal approach for failed implant salvage in postmastectomy patients (Yager and Chaglassian) 1997;39:178
Mycobacterium smegmatis infection in a healthy woman following a facelift: case report and review of the literature (Pennekamp et al) 1997;39:80
pedicled bone grafts to treat nasal bone defects associated with full-thickness loss of nose (Kobayashi et al) 1997;39:633
reconstruction of a short nose by full-thickness tissue transfer with osteotomy (Kobayashi et al) 1997;39:628
reconstruction of the toddler diaphragm in severe anterolateral congenital diaphragmatic hernia with the reverse latissimus dorsi flap (Whetzel et al) 1997;39:615
recurrent giant cell tumor over a 23-year period (Weinzweig and Watson) 1997;39:659
reverse lateral arm adipofascial flap for elbow coverage (Lai et al) 1997;39:196
rotation advancement in traumatic upper lip ectropion (Narsete) 1997;39:652
sentinel node excision for the diagnosis of metastatic neuroendocrine carcinoma of the skin: a case report (Javaheri et al) 1997;39:299
successful hand revascularization with urokinase

following a crush injury (Wheatley and Swift) 1997;39:94
surgical treatment of solid facial edema: when everything else fails (Méndez-Fernández) 1997; 39:620
terra firma forme dermatosis (Raveh et al) 1997;39: 542
treatment of a degloved hand injury by arteriovenous anastomosis: a case report (Takeuchi et al) 1997;39:174
two patients with penile keloids: a review of the literature (Gürünlüoğlu et al) 1997;39:662
ulnar nerve compression at the wrist secondary to anomalous muscles: a patient with a variant of abductor digiti minimi (Netscher and Cohen) 1997;39:647
uncommon Klinefelter's variant (49,XXXXY) with cleft palate (Velidedeoğlu et al) 1997;39:213
uncomplicated pregnancy following total bilateral rectus harvest: a case report (Walker et al) 1997; 39:84
unilateral cleft lip patient with holoprosencephaly (Yonehara et al) 1997;39:210

CD44; *see* **Receptors, lymphocyte homing**

Cephalometry
influence of different types of hard-palate closure in two-stage palatoplasty on maxillary growth: cephalometric analyses and long-term follow-up (Tanino et al) 1997;39:245

Cheek
patient with unusual vascular malformation of cheek to lip and deep tissues (Ohtsuka) 1997;39: 669 (Letter)

Chemotherapy, adjuvant
adjuvant therapy: the effects on microvascular lower extremity reconstruction (Evans et al) 1997;39:141

Child
calvarial deformity and remodeling following prolonged scalp expansion in a child (Calobrace and Downey) 1997;39:186 (Case report)
carbon dioxide laser ablation of anogenital condyloma acuminata in pediatric patients (Johnson et al) 1997;39:578
first case of surgical treatment of Farber's disease (Haraoka et al) 1997;39:405 (Case report)
Klippel-Trenaunay-Weber syndrome associated with intra-abdominal lymphangioma requiring multiple surgical interventions (Kondo et al) 1997;39:435 (Letter)
reconstruction of the toddler diaphragm in severe anterolateral congenital diaphragmatic hernia with the reverse latissimus dorsi flap (Whetzel et al) 1997;39:615 (Case report)
treatment of giant congenital nevi with cryopreserved allogeneic skin and fresh autologous cultured epithelium (Kumagai et al) 1997;39:483
uncommon Klinefelter's variant (49,XXXXY) with cleft palate (Velidedeoğlu et al) 1997;39:213 (Case report)

Chondromucosal septal graft; *see* **Nasal septum**

Cicatrix
intralesional HA treatment of pathological scars (Boyce) (Letter); (Borgognoni and Reali) (Reply) 1997;39:552
minoxidil and wound contraction (Polo et al) 1997; 39:292
role of suture material in hypertrophic scar formation: monocryl vs. vicryl-rapide (Niessen et al) 1997;39:254
treatment of scars: a review (Alster and West) 1997;39:418 (Review article)

Clamps
experimental study of small-joint compression arthrodesis (Breitbart et al) 1997;39:47

Cleft lip
unilateral cleft lip patient with holoprosencephaly (Yonehara et al) 1997;39:210 (Case report)

Cleft palate
influence of different types of hard-palate closure in two-stage palatoplasty on maxillary growth: cephalometric analyses and long-term follow-up (Tanino et al) 1997;39:245
uncommon Klinefelter's variant (49,XXXXY) with cleft palate (Velidedeoğlu et al) 1997;39:213 (Case report)

Collagen
exposure of fibroblasts derived from keloid patients to low-energy electronmagnetic fields: preferential inhibition of cell proliferation, collagen synthesis, and transforming growth factor beta expression in keloid fibroblasts in vitro (Nakajima et al) 1997;39:536

Color Doppler ultrasonography; *see* **Ultrasonography**

Complex regional pain syndrome; *see* **Pain**

Computers
computer-aided preoperative planning of tissue expansion (Raposio and Santi) 1997;39:416 (Short subject)

Condyloma acuminata
carbon dioxide laser ablation of anogenital condyloma acuminata in pediatric patients (Johnson et al) 1997;39:578

Connective tissue diseases
connective tissue disease and other rheumatic conditions following breast implants in Denmark (Friis et al) 1997;39:1

Contracture
effects of capsular contracture on ultrasonic screening for silicone gel breast implant rupture (Medot et al) 1997;39:337
minoxidil and wound contraction (Polo et al) 1997; 39:292

Cosmetic surgery; *see* **Plastic surgery**

Costs and cost analysis
clinical features and outcome of patients admitted to the intensive care unit after plastic surgical procedures: implications for cost reduction and quality of care (Talmor et al) 1997;39:74

Cranium; *see* **Skull**

Creatine kinase
serum creatine kinase in fasciocutaneous and musculocutaneous flap surgery (Blomqvist et al) 1997;39:532
Crush injury; *see* **Wounds and injuries**
Cryopreservation
treatment of giant congenital nevi with cryopreserved allogeneic skin and fresh autologous cultured epithelium (Kumagai et al) 1997;39:483
Cryptotia
technique for the correction of cryptotia (Chana and Fourie) 1997;39:261
Cutaneous flaps; *see* **Flaps, skin**
Cutaneous horn; *see* **Horns**

Delayed flaps; *see* **Flaps, delayed**
Denmark
connective tissue disease and other rheumatic conditions following breast implants in Denmark (Friis et al) 1997;39:1
Depressor anguli oris muscle
functional reconstruction of total lower lip defects with a radial forearm free flap combined with a depressor anguli oris muscle transfer (Kushima et al) 1997;39:182 (Case report)
Dermis; *see* **Skin**
Diaphragm
reconstruction of the toddler diaphragm in severe anterolateral congenital diaphragmatic hernia with the reverse latissimus dorsi flap (Whetzel et al) 1997;39:615 (Case report)
Diaphragmatic hernia; *see* **Hernia, diaphragmatic**
Doppler flowmeters; *see* **Flowmeters**
Doppler ultrasonography; *see* **Ultrasonography**
Doxorubicin
re: hyperbaric oxygen therapy and free radical production: an experimental study in doxorubicin (Adriamycin) extravasation injuries (Golembe) (Letter); (Monstrey) (Reply) 1997;39:105

Ear
anatomy of the postauricular island 'revolving door' flap (Talmi et al) 1997;39:603
lupus vulgaris of the earlobe (Okazaki and Sakurai) 1997;39:643 (Case report)
technique for the correction of cryptotia (Chana and Fourie) 1997;39:261
Eating disorders
reduction mammaplasty in patients with bulimia nervosa (Losee et al) 1997;39:443
Ectropion
rotation advancement in traumatic upper lip ectropion (Narsete) 1997;39:652 (Case report)
Edema
surgical treatment of solid facial edema: when everything else fails (Méndez-Fernández) 1997;39:620 (Case report)
Editorials
Après-board examination (Morain) 1997;39:433
black and white (Morain) 1997;39:103
clever solution (Morain) 1997;39:216
resident education—a casualty of managed care? (Smith) 1997;39:330 (Invited editorial)
saving face (Morain) 1997;39:550
tale of two heartaches (Gorney) 1997;39:666 (Invited editorial)
Education, medical
resident education—a casualty of managed care? (Smith) 1997;39:330 (Invited editorial)
Z-plasty practice for the beginner (Gürünlüoğlu et al) 1997;39:218 (Letter)
Elbow
brachioradialis musculocutaneous flap closure of the elbow utilizing a distal skin island: a case report (Lalikos and Fudem) 1997;39:201 (Case report)
reverse lateral arm adipofascial flap for elbow coverage (Lai et al) 1997;39:196 (Case report)
Electric injuries
plastic surgical considerations in lightning injuries (Matthews and Fahey) 1997;39:561
Electromagnetic fields
exposure of fibroblasts derived from keloid patients to low-energy electronmagnetic fields: preferential inhibition of cell proliferation, collagen synthesis, and transforming growth factor beta expression in keloid fibroblasts in vitro (Nakajima et al) 1997;39:536
Emotional distress; *see* **Stress, psychological**
End-on-side anastomosis; *see* **Anastomosis, surgical**
Endoscopy
endoscopic rectus harvest: a simplified sheath-saving technique (Venkataramakrishnan and Southern) 1997;39:573
re: adipofascial flap harvest using endoscopic assistance (Southern and Ramakrishnan) 1997;39:555 (Letter)
recurrent carpal tunnel syndrome following endoscopic carpal tunnel release: a preliminary report (Wheatley and Kaul) 1997;39:469
Endothelium
physiological roles of endothelium-derived nitric oxide in the epigastric island flaps of rabbits (Oshima et al) 1997;39:608
Epidermis
comparison of methodologies for the preparation of human epidermal-dermal composites (Ghosh et al) 1997;39:390
Epigastric artery
modification in flap design of the epigastric artery flap in rats—a new experimental flap model (Padubidri and Browne) 1997;39:500
physiological roles of endothelium-derived nitric oxide in the epigastric island flaps of rabbits (Oshima et al) 1997;39:608
Epithelium
treatment of extensive hypomelanosis with autologous cultured epithelium (Kumagai and Uchikoshi) 1997;39:68
treatment of giant congenital nevi with cryopreserved allogeneic skin and fresh

autologous cultured epithelium (Kumagai et al) 1997;39:483
Esthetics
psychological characteristics of women who undergo single and multiple cosmetic surgeries (Dunofsky) 1997;39:223
Examinations
Après-board examination (Morain) 1997;39:433 (Editorial)
Eye
torticollis and traumatic ocular dystopia (Kamiji) 1997;39:554 (Letter)
Eyelids
complications in laser transconjunctival lower blepharoplasty (Trelles and Garcia) 1997;39:105 (Letter)
total reconstruction of a partial-thickness upper eyelid defect with the expanded forehead flap (Han) 1997;39:24

Face
management of a large arteriovenous fistula in the face: a case of neurofibromatosis type 1 (Yilmaz et al) 1997;39:308 (Case report)
patient with unusual vascular malformation of cheek to lip and deep tissues (Ohtsuka) 1997;39:669 (Letter)
postoperative infection following clean facial surgery (Sylaidis et al) 1997;39:342
psychological characteristics of women who undergo single and multiple cosmetic surgeries (Dunofsky) 1997;39:223
submental artery island flap for reconstruction of the lower and mid face (Yilmaz et al) 1997;39:30
surgical treatment of solid facial edema: when everything else fails (Méndez-Fernández) 1997;39:620 (Case report)
Facelift; *see* **Rhytidoplasty**
Facial artery
anatomic evaluation of the facial artery and vein using color Doppler ultrasonography (Nagase et al) 1997;39:64
Facial bones
malignant fibrous histiocytoma degeneration in a patient with facial fibrous dysplasia (Cheng and Chen) 1997;39:638 (Case report)
Facial muscles
local injection into mimetic muscles of botulinum toxin A for the treatment of facial lines (Guerrissi and Sarkissian) 1997;39:447
Facial nerve
anatomic evaluation of the facial artery and vein using color Doppler ultrasonography (Nagase et al) 1997;39:64
Farber's disease
first case of surgical treatment of Farber's disease (Haraoka et al) 1997;39:405 (Case report)
Fascia
osseous autografts covered with temporalis fascia: looking for greater survival (Cárdenas-Camarena) 1997;39:669 (Letter)
Fasciocutaneous flaps; *see* **Flaps, fasciocutaneous**
Fetus
new in vivo model for the study of fetal wound healing (Stelnicki et al) 1997;39:374
Fibrinolytic agents
historical review of hemostasis, thrombosis, and antithrombotic therapy (Stassen and Nyström) 1997;39:317 (Review article)
Fibroblasts
comparison of methodologies for the preparation of human epidermal-dermal composites (Ghosh et al) 1997;39:390
exposure of fibroblasts derived from keloid patients to low-energy electronmagnetic fields: preferential inhibition of cell proliferation, collagen synthesis, and transforming growth factor beta expression in keloid fibroblasts in vitro (Nakajima et al) 1997;39:536
Fibrous dysplasia of bone
malignant fibrous histiocytoma degeneration in a patient with facial fibrous dysplasia (Cheng and Chen) 1997;39:638 (Case report)
Fibula
role of pedicled or free fibular grafts in knee arthrodesis (Hallock) 1997;39:60
Fingers
experimental study of small-joint compression arthrodesis (Breitbart et al) 1997;39:47
giant cell tumor of the proximal phalanx: a case report (Motamedi and Richards) 1997;39:314 (Case report)
FK-506
involvement of neutrophils in ischemic injury. I. biochemical and histopathological investigation of the effect of FK506 on dorsal skin flaps in rats (Cetinkale et al) 1997;39:505
Flaps, adipofascial
re: adipofascial flap harvest using endoscopic assistance (Southern and Ramakrishnan) 1997;39:555 (Letter)
reverse lateral arm adipofascial flap for elbow coverage (Lai et al) 1997;39:196 (Case report)
Flaps, advancement
rotation advancement in traumatic upper lip ectropion (Narsete) 1997;39:652 (Case report)
tension and flap advancement in the human scalp (Raposio and Nordström) 1997;39:20
Flaps, delayed
clinical applications of the delayed arterialized venous flap (Cho et al) 1997;39:145
Flaps, fasciocutaneous
bilobed fasciocutaneous flap for primary repair of a large upper arm defect with secondary closure of the donor site without a skin graft (Onishi et al) 1997;39:205 (Case report)
great saphenous vein fasciocutaneous island flap for immediate calcaneal wound reconstruction (Isenberg) 1997;39:193 (Case report)
serum creatine kinase in fasciocutaneous and musculocutaneous flap surgery (Blomqvist et al) 1997;39:532

Flaps, forearm
re: distal dorsal forearm flap (Fritsche and Noever) (Letter); (Thomson) (Reply) 1997;39:556
Flaps, free
abdominal wall competence after free transverse rectus abdominis musculocutaneous flap harvest: a prospective study (Suominen et al) 1997;39:229
case report: sequential vascular connection of free flaps in the upper extremity (Dzwierzynski et al) 1997;39:303 (Case report)
comparison of donor and recipient site sensation in free tissue reconstruction of the oral cavity (Cordeiro et al) 1997;39:461
"Dr. Tagliacozzi, I presume?" (Weinzweig) 1997; 39:108 (Letter)
functional reconstruction of total lower lip defects with a radial forearm free flap combined with a depressor anguli oris muscle transfer (Kushima et al) 1997;39:182 (Case report)
pathological tissue expansion (Raurell et al) 1997; 39:435 (Letter)
re: selective use of preoperative lower extremity arteriography and free flap reconstruction (Isenberg) 1997;39:332 (Letter)
reversed arterial flow in free flap surgery for leg reconstruction (Lin et al) 1997;39:590
unexpected, late complications of combined free flap coverage and Ilizarov technique applied to legs (Işek et al) 1997;39:437 (Letter)
Flaps, island
anatomy of the postauricular island "revolving door" flap (Talmi et al) 1997;39:603
brachioradialis musculocutaneous flap closure of the elbow utilizing a distal skin island: a case report (Lalikos and Fudem) 1997;39:201 (Case report)
effects of tissue expansion on the hemodynamic and survival characteristics of reverse-flow island flaps: an experimental study in rabbits (Mutaf et al) 1997;39:472
effects of vasoactive medications on the blood flow of island musculocutaneous flaps in swine (Cordeiro et al) 1997;39:524
great saphenous vein fasciocutaneous island flap for immediate calcaneal wound reconstruction (Isenberg) 1997;39:193 (Case report)
modification in flap design of the epigastric artery flap in rats—a new experimental flap model (Padubidri and Browne) 1997;39:500
physiological roles of endothelium-derived nitric oxide in the epigastric island flaps of rabbits (Oshima et al) 1997;39:608
submental artery island flap for reconstruction of the lower and mid face (Yilmaz et al) 1997;39:30
Flaps, muscle
combined reverse temporalis muscle flap and pericranial flap for reconstruction of an anterior cranial base defect: a case report (Atabey et al) 1997;39:190 (Case report)
reconstruction of the toddler diaphragm in severe anterolateral congenital diaphragmatic hernia with the reverse latissimus dorsi flap (Whetzel et al) 1997;39:615 (Case report)
Flaps, musculocutaneous
abdominal wall competence after free transverse rectus abdominis musculocutaneous flap harvest: a prospective study (Suominen et al) 1997;39:229
brachioradialis musculocutaneous flap closure of the elbow utilizing a distal skin island: a case report (Lalikos and Fudem) 1997;39:201 (Case report)
effects of vasoactive medications on the blood flow of island musculocutaneous flaps in swine (Cordeiro et al) 1997;39:524
method of breast reconstruction with a deepithelialized TRAM flap via the abdominal approach for failed implant salvage in postmastectomy patients (Yager and Chaglassian) 1997;39:178 (Case report)
serum creatine kinase in fasciocutaneous and musculocutaneous flap surgery (Blomqvist et al) 1997;39:532
Flaps, pedicled
effects of the number of pedicles on perfusion and survival of venous flaps: an experimental study in rabbits (Yilmaz et al) 1997;39:278
longest pedicle for a gastrocnemius flap! (Venkataramakrishnan et al) 1997;39:106 (Letter)
new experimental model: the vascular pedicled cutaneous flap over the mid-dorsum of the rat (Ahmed et al) 1997;39:495
Flaps, reverse
combined reverse temporalis muscle flap and pericranial flap for reconstruction of an anterior cranial base defect: a case report (Atabey et al) 1997;39:190 (Case report)
effects of tissue expansion on the hemodynamic and survival characteristics of reverse-flow island flaps: an experimental study in rabbits (Mutaf et al) 1997;39:472
reconstruction of the toddler diaphragm in severe anterolateral congenital diaphragmatic hernia with the reverse latissimus dorsi flap (Whetzel et al) 1997;39:615 (Case report)
reverse lateral arm adipofascial flap for elbow coverage (Lai et al) 1997;39:196 (Case report)
reversed arterial flow in free flap surgery for leg reconstruction (Lin et al) 1997;39:590
upper limb reconstruction with reverse flaps: a review of 52 patients with emphasis on flap selection (Kostakoğlu and Keçik) 1997;39:381
Flaps, rotation
rotation advancement in traumatic upper lip ectropion (Narsete) 1997;39:652 (Case report)
Flaps, skin
brachioradialis musculocutaneous flap closure of the elbow utilizing a distal skin island: a case report (Lalikos and Fudem) 1997;39:201 (Case report)
comparison of donor and recipient site sensation in free tissue reconstruction of the oral cavity (Cordeiro et al) 1997;39:461

involvement of neutrophils in ischemic injury. I. biochemical and histopathological investigation of the effect of FK506 on dorsal skin flaps in rats (Cetinkale et al) 1997;39:505
new experimental model: the vascular pedicled cutaneous flap over the mid-dorsum of the rat (Ahmed et al) 1997;39:495
resurfacing a circumferentially degloved hand by using a full-thickness skin graft harvested from an avulsed skin flap (Jeng and Wei) 1997;39:360
total reconstruction of a partial-thickness upper eyelid defect with the expanded forehead flap (Han) 1997;39:24

Flaps, twin
twin flap technique for nipple reconstruction (Venkat Ramakrishnan et al) 1997;39:241

Flaps, vascularized
clinical applications of the delayed arterialized venous flap (Cho et al) 1997;39:145
effects of the number of pedicles on perfusion and survival of venous flaps: an experimental study in rabbits (Yilmaz et al) 1997;39:278
modification in flap design of the epigastric artery flap in rats—a new experimental flap model (Padubidri and Browne) 1997;39:500
new experimental model: the vascular pedicled cutaneous flap over the mid-dorsum of the rat (Ahmed et al) 1997;39:495
re: distal dorsal forearm flap (Fritsche and Noever) (Letter); (Thomson) (Reply) 1997;39:556
reversed arterial flow in free flap surgery for leg reconstruction (Lin et al) 1997;39:590

Flowmeters
mapping of the human body skin with laser Doppler flowmetry (Park et al) 1997;39:597

Foot
lateral ray polydactyly: a case of duplicated metatarsal with normal phalanges (Hayashi et al) 1997;39:97 (Case report)

Forearm
"Dr. Tagliacozzi, I presume?" (Weinzweig) 1997; 39:108 (Letter)
functional reconstruction of total lower lip defects with a radial forearm free flap combined with a depressor anguli oris muscle transfer (Kushima et al) 1997;39:182 (Case report)
re: distal dorsal forearm flap (Fritsche and Noever) (Letter); (Thomson) (Reply) 1997;39:556

Forehead
total reconstruction of a partial-thickness upper eyelid defect with the expanded forehead flap (Han) 1997;39:24

Fracture fixation
bead and wire intermaxillary fixation (Arons) (Letter); (Hataya) (Reply) 1997;39:668

Free flaps; *see* **Flaps, free**

Free radicals
oxgyen free radicals impair wound healing in ischemic rat skin (Ŝenel et al) 1997;39:516
re: hyperbaric oxygen therapy and free radical production: an experimental study in doxorubicin (Adriamycin) extravasation injuries (Golembe) (Letter); (Monstrey) (Reply) 1997;39: 105

Gastrocnemius muscle
longest pedicle for a gastrocnemius flap! (Venkataramakrishnan et al) 1997;39:106 (Letter)

Gender factors
rhinoplasty as part of gender-confirming surgery in male transsexuals: basic considerations and clinical experience (Hage et al) 1997;39:266

Genitalia
carbon dioxide laser ablation of anogenital condyloma acuminata in pediatric patients (Johnson et al) 1997;39:578

Giant cell tumors
giant cell tumor of the proximal phalanx: a case report (Motamedi and Richards) 1997;39:314 (Case report)
recurrent giant cell tumor over a 23-year period (Weinzweig and Watson) 1997;39:659 (Case report)

Giant congenital nevi; *see* **Nevus, pigmented**

Giant schwannoma; *see* **Neurilemmoma**

Gorlin's syndrome; *see* **Basal cell nevus syndrome**

Granuloma
first case of surgical treatment of Farber's disease (Haraoka et al) 1997;39:405 (Case report)

Hair
effective treatment of hypertrichosis with pulsed light: a report of two cases (Raulin et al) 1997;39: 169 (Case report)

Hamate bone
abnormalities of the hook of the hamate in patients with carpal tunnel syndrome (Richards and Bennett) 1997;39:44

Hand
abnormalities of the hook of the hamate in patients with carpal tunnel syndrome (Richards and Bennett) 1997;39:44
experimental study of small-joint compression arthrodesis (Breitbart et al) 1997;39:47
giant cell tumor of the proximal phalanx: a case report (Motamedi and Richards) 1997;39:314 (Case report)
less common causes of carpal tunnel syndrome (Choudhary et al) 1997;39:552 (Letter)
recurrent giant cell tumor over a 23-year period (Weinzweig and Watson) 1997;39:659 (Case report)
successful hand revascularization with urokinase following a crush injury (Wheatley and Swift) 1997;39:94 (Case report)
upper limb reconstruction with reverse flaps: a review of 52 patients with emphasis on flap selection (Kostakoğlu and Keçik) 1997;39:381

Hand injuries
case report: sequential vascular connection of free flaps in the upper extremity (Dzwierzynski et al) 1997;39:303 (Case report)
resurfacing a circumferentially degloved hand by

using a full-thickness skin graft harvested from an avulsed skin flap (Jeng and Wei) 1997;39:360
treatment of a degloved hand injury by arteriovenous anastomosis: a case report (Takeuchi et al) 1997;39:174 (Case report)

Head
extended, pedicled rectus abdominis free tissue transfer for head and neck reconstruction (Cordeiro and Santamaria) 1997;39:53

Hemangioma
hemangioma of the nasal bones (Karacaoğlan et al) 1997;39:218 (Letter)

Hemodynamics
effects of tissue expansion on the hemodynamic and survival characteristics of reverse-flow island flaps: an experimental study in rabbits (Mutaf et al) 1997;39:472

Hemostasis
historical review of hemostasis, thrombosis, and antithrombotic therapy (Stassen and Nyström) 1997;39:317 (Review article)

Hernia, diaphragmatic
reconstruction of the toddler diaphragm in severe anterolateral congenital diaphragmatic hernia with the reverse latissimus dorsi flap (Whetzel et al) 1997;39:615 (Case report)

Histiocytoma
malignant fibrous histiocytoma degeneration in a patient with facial fibrous dysplasia (Cheng and Chen) 1997;39:638 (Case report)

Historical article
historical review of hemostasis, thrombosis, and antithrombotic therapy (Stassen and Nyström) 1997;39:317 (Review article)

Holoprosencephaly
unilateral cleft lip patient with holoprosencephaly (Yonehara et al) 1997;39:210 (Case report)

Hook of the hamate; *see* **Hamate bone**

Horns
giant cutaneous horn: a patient report (Korkut et al) 1997;39:654 (Case report)

Hyaluronic acid
intralesional HA treatment of pathological scars (Boyce) (Letter); (Borgognoni and Reali) (Reply) 1997;39:552

Hydroxyapatites
bone morphogenetic protein promotes vascularization and osteoinduction in preformed hydroxyapatite in the rabbit (Levine et al) 1997;39:158

Hydroxyurea
hydroxyurea-related ankle ulcers in patients with myeloproliferative disorders: a case report and review of the literature (Cox et al) 1997;39:546 (Case report)

Hyperbaric oxygenation
evaluation of penicillin and hyperbaric oxygen in the treatment of streptococcal myositis (Zamboni et al) 1997;39:131
re: hyperbaric oxygen therapy and free radical production: an experimental study in doxorubicin (Adriamycin) extravasation injuries (Golembe) (Letter); (Monstrey) (Reply) 1997;39:105

Hypertrichosis
effective treatment of hypertrichosis with pulsed light: a report of two cases (Raulin et al) 1997;39:169 (Case report)

Hypertrophy
role of suture material in hypertrophic scar formation: monocryl vs. vicryl-rapide (Niessen et al) 1997;39:254

Hypomelanosis; *see* **Pigmentation disorders**

Ilizarov technique
unexpected, late complications of combined free flap coverage and Ilizarov technique applied to legs (Işek et al) 1997;39:437 (Letter)

Implants, artificial
connective tissue disease and other rheumatic conditions following breast implants in Denmark (Friis et al) 1997;39:1
effects of capsular contracture on ultrasonic screening for silicone gel breast implant rupture (Medot et al) 1997;39:337
expression of CD44-v6-containing isoform on breast tissue adjacent to silicone breast implants (Brunner et al) 1997;39:235
mammographic visualization of a nonpalpable breast mass through a radiolucent breast implant (Santi et al) 1997;39:333
method of breast reconstruction with a deepithelialized TRAM flap via the abdominal approach for failed implant salvage in postmastectomy patients (Yager and Chaglassian) 1997;39:178 (Case report)
outcome analysis of 100 women after explantation of silicone gel breast implants (Peters et al) 1997;39:9
re: augmentation mammoplasty associated with a severe systemic illness (Marshall) (Letter); (Uretsky and Mayhall) (Reply) 1997;39:668
spontaneous autoinflation of saline mammary implants, with invited discussion by Frisch (Robinson and Benos) 1997;39:114

Infant; *see also* **Child**
infantile myofibromatosis: a solitary lesion involving the upper lip (Lo et al) 1997;39:624 (Case report)

Infection
evaluation of penicillin and hyperbaric oxygen in the treatment of streptococcal myositis (Zamboni et al) 1997;39:131
Mycobacterium smegmatis infection in a healthy woman following a facelift: case report and review of the literature (Pennekamp et al) 1997;39:80 (Case report)
postoperative infection following clean facial surgery (Sylaidis et al) 1997;39:342

Intensive care units
clinical features and outcome of patients admitted to the intensive care unit after plastic surgical

procedures: implications for cost reduction and quality of care (Talmor et al) 1997;39:74
Internship and residency
clever solution (Morain) 1997;39:216 (Editorial)
re: a clever solution (Krizek) 1997;39:557 (Letter)
resident education—a casualty of managed care? (Smith) 1997;39:330 (Invited editorial)
Invited editorials
resident education—a casualty of managed care? (Smith) 1997;39:330
tale of two heartaches (Gorney) 1997;39:666
Ischemia
involvement of neutrophils in ischemic injury. I. biochemical and histopathological investigation of the effect of FK506 on dorsal skin flaps in rats (Cetinkale et al) 1997;39:505
oxgyen free radicals impair wound healing in ischemic rat skin (Ŝenel et al) 1997;39:516
Island flaps; *see* **Flaps, island**

Jaw, edentulous, partially
titanium screw implants for intermaxillary fixation of partially edentulous jaw, with invited discussion by Wolfe (Mavili) 1997;39:353
Joints
experimental study of small-joint compression arthrodesis (Breitbart et al) 1997;39:47
Jurisprudence
tale of two heartaches (Gorney) 1997;39:666 (Invited editorial)

Keloid
exposure of fibroblasts derived from keloid patients to low-energy electronmagnetic fields: preferential inhibition of cell proliferation, collagen synthesis, and transforming growth factor beta expression in keloid fibroblasts in vitro (Nakajima et al) 1997;39:536
two patients with penile keloids: a review of the literature (Gürünlüoğlu et al) 1997;39:662 (Case reports)
Keratin
giant cutaneous horn: a patient report (Korkut et al) 1997;39:654 (Case report)
Klinefelter's syndrome
uncommon Klinefelter's variant (49,XXXXY) with cleft palate (Velidedeoğlu et al) 1997;39:213 (Case report)
Klippel-Trenaunay-Weber syndrome
Klippel-Trenaunay-Weber syndrome associated with intra-abdominal lymphangioma requiring multiple surgical interventions (Kondo et al) 1997;39:435 (Letter)
Knee
role of pedicled or free fibular grafts in knee arthrodesis (Hallock) 1997;39:60

Laser surgery
carbon dioxide laser ablation of anogenital condyloma acuminata in pediatric patients (Johnson et al) 1997;39:578
complications in laser transconjunctival lower blepharoplasty (Trelles and Garcia) 1997;39:105 (Letter)
Gorlin's syndrome: the role of the carbon dioxide laser in patient management (Grobbelaar et al) 1997;39:366
Lasers
mapping of the human body skin with laser Doppler flowmetry (Park et al) 1997;39:597
Latissimus dorsi muscle
reconstruction of the toddler diaphragm in severe anterolateral congenital diaphragmatic hernia with the reverse latissimus dorsi flap (Whetzel et al) 1997;39:615 (Case report)
Leg
adjuvant therapy: the effects on microvascular lower extremity reconstruction (Evans et al) 1997;39:141
re: selective use of preoperative lower extremity arteriography and free flap reconstruction (Isenberg) 1997;39:332 (Letter)
reversed arterial flow in free flap surgery for leg reconstruction (Lin et al) 1997;39:590
single-stage, multimodality treatment of soft-tissue sarcoma of the extremity (Abramson et al) 1997; 39:454
unexpected, late complications of combined free flap coverage and Ilizarov technique applied to legs (Işek et al) 1997;39:437 (Letter)
Letters
application of bilayer artificial skin to a defect following excisional biopsy for malignant melanomalike lesion (Hosokawa et al) 1997;39: 670
bead and wire intermaxillary fixation (Arons) (Letter); (Hataya) (Reply) 1997;39:668
complications in laser transconjunctival lower blepharoplasty (Trelles and Garcia) 1997;39:105
"Dr. Tagliacozzi, I presume?" (Weinzweig) 1997; 39:108
hemangioma of the nasal bones (Karacaoğlan et al) 1997;39:218
intralesional HA treatment of pathological scars (Boyce) (Letter); (Borgognoni and Reali) (Reply) 1997;39:552
Klippel-Trenaunay-Weber syndrome associated with intra-abdominal lymphangioma requiring multiple surgical interventions (Kondo et al) 1997;39:435
less common causes of carpal tunnel syndrome (Choudhary et al) 1997;39:552
longest pedicle for a gastrocnemius flap! (Venkataramakrishnan et al) 1997;39:106
method of reconstructing a natural-looking umbilicus in abdominoplasty (Otto et al) 1997; 39:435
osseous autografts covered with temporalis fascia: looking for greater survival (Cárdenas-Camarena) 1997;39:669
pathological tissue expansion (Raurell et al) 1997; 39:435
patient with unusual vascular malformation of

cheek to lip and deep tissues (Ohtsuka) 1997;39:669
re: a clever solution (Krizek) 1997;39:557
re: adipofascial flap harvest using endoscopic assistance (Southern and Ramakrishnan) 1997;39:555
re: augmentation mammoplasty associated with a severe systemic illness (Marshall) (Letter); (Uretsky and Mayhall) (Reply) 1997;39:668
re: distal dorsal forearm flap (Fritsche and Noever) (Letter); (Thomson) (Reply) 1997;39:556
re: how to harvest a septal chondromucosal graft (Tellioğlu) 1997;39:106
re: hyperbaric oxygen therapy and free radical production: an experimental study in doxorubicin (Adriamycin) extravasation injuries (Golembe) (Letter); (Monstrey) (Reply) 1997;39:105
re: selective use of preoperative lower extremity arteriography and free flap reconstruction (Isenberg) 1997;39:332
re: tumescent miniabdominoplasty (Worland) 1997;39:332
Reply (Allan) 1997;39:109
simple securing of subcuticular running suture (Stanec et al) 1997;39:332
torticollis and traumatic ocular dystopia (Kamiji) 1997;39:554
unexpected, late complications of combined free flap coverage and Ilizarov technique applied to legs (Işek et al) 1997;39:437
Z-plasty practice for the beginner (Gürünlüoğlu et al) 1997;39:218

Light
effective treatment of hypertrichosis with pulsed light: a report of two cases (Raulin et al) 1997;39:169 (Case report)

Lightning injuries
plastic surgical considerations in lightning injuries (Matthews and Fahey) 1997;39:561

Lip
functional reconstruction of total lower lip defects with a radial forearm free flap combined with a depressor anguli oris muscle transfer (Kushima et al) 1997;39:182 (Case report)
infantile myofibromatosis: a solitary lesion involving the upper lip (Lo et al) 1997;39:624 (Case report)
patient with unusual vascular malformation of cheek to lip and deep tissues (Ohtsuka) 1997;39:669 (Letter)
rotation advancement in traumatic upper lip ectropion (Narsete) 1997;39:652 (Case report)

Lipogranulomatosis
first case of surgical treatment of Farber's disease (Haraoka et al) 1997;39:405 (Case report)

Lower extremity; *see* **Leg**

Lower lip; *see* **Lip**

Lung
median sternotomy wound complication: the effect of reconstruction on lung function (Cohen et al) 1997;39:36

Lupus
lupus vulgaris of the earlobe (Okazaki and Sakurai) 1997;39:643 (Case report)

Lymph node excision
sentinel node excision for the diagnosis of metastatic neuroendocrine carcinoma of the skin: a case report (Javaheri et al) 1997;39:299 (Case report)

Lymphangioma
Klippel-Trenaunay-Weber syndrome associated with intra-abdominal lymphangioma requiring multiple surgical interventions (Kondo et al) 1997;39:435 (Letter)

Malpractice
tale of two heartaches (Gorney) 1997;39:666 (Invited editorial)

Mammaplasty
complex regional pain syndrome of the breast in a patient after breast reduction (Papay et al) 1997;39:347
re: augmentation mammoplasty associated with a severe systemic illness (Marshall) (Letter); (Uretsky and Mayhall) (Reply) 1997;39:668
reduction mammaplasty in patients with bulimia nervosa (Losee et al) 1997;39:443

Mammography
mammographic visualization of a nonpalpable breast mass through a radiolucent breast implant (Santi et al) 1997;39:333

Managed care programs
resident education—a casualty of managed care? (Smith) 1997;39:330 (Invited editorial)

Manpower
clever solution (Morain) 1997;39:216 (Editorial)
re: a clever solution (Krizek) 1997;39:557 (Letter)
Reply (Allan) 1997;39:109 (Letter)

Mastectomy
method of breast reconstruction with a deepithelialized TRAM flap via the abdominal approach for failed implant salvage in postmastectomy patients (Yager and Chaglassian) 1997;39:178 (Case report)

Maxilla
bead and wire intermaxillary fixation (Arons) (Letter); (Hataya) (Reply) 1997;39:668
influence of different types of hard-palate closure in two-stage palatoplasty on maxillary growth: cephalometric analyses and long-term follow-up (Tanino et al) 1997;39:245
maxillary myxoma treated with wide resection and immediate reconstruction: a case report (Chen et al) 1997;39:87 (Case report)
titanium screw implants for intermaxillary fixation of partially edentulous jaw, with invited discussion by Wolfe (Mavili) 1997;39:353

Median sternotomy; *see* **Sternum, surgery**

Medically underserved area
clever solution (Morain) 1997;39:216 (Editorial)

re: a clever solution (Krizek) 1997;39:557 (Letter)
Melanoma
application of bilayer artificial skin to a defect following excisional biopsy for malignant melanomalike lesion (Hosokawa et al) 1997;39: 670 (Letter)
Metastasis; *see* **Neoplasm metastasis**
Metatarsal bones
lateral ray polydactyly: a case of duplicated metatarsal with normal phalanges (Hayashi et al) 1997;39:97 (Case report)
Microsurgery
adjuvant therapy: the effects on microvascular lower extremity reconstruction (Evans et al) 1997;39:141
end-on-side microvascular anastomosis: an experimental study (Tellioğlu) 1997;39:137
Mimetic muscles; *see* **Facial muscles**
Miniabdominoplasty; *see* **Abdomen**
Minoxidil
minoxidil and wound contraction (Polo et al) 1997; 39:292
Monocryl sutures; *see* **Sutures**
Mouth
comparison of donor and recipient site sensation in free tissue reconstruction of the oral cavity (Cordeiro et al) 1997;39:461
Muscle flaps; *see* **Flaps, muscle**
Muscles, abnormalities
ulnar nerve compression at the wrist secondary to anomalous muscles: a patient with a variant of abductor digiti minimi (Netscher and Cohen) 1997;39:647 (Case report)
Musculocutaneous flaps; *see* **Flaps, musculocutaneous**
Mycobacterium smegmatis
Mycobacterium smegmatis infection in a healthy woman following a facelift: case report and review of the literature (Pennekamp et al) 1997; 39:80 (Case report)
Myeloproliferative disorders
hydroxyurea-related ankle ulcers in patients with myeloproliferative disorders: a case report and review of the literature (Cox et al) 1997;39:546 (Case report)
Myoepithelial tumor
malignant mixed tumor of the parotid with myoepithelial carcinomatous and papillary adenocarcinomatous components (Akgüner et al) 1997;39:656 (Case report)
Myofibromatosis
infantile myofibromatosis: a solitary lesion involving the upper lip (Lo et al) 1997;39:624 (Case report)
Myositis
evaluation of penicillin and hyperbaric oxygen in the treatment of streptococcal myositis (Zamboni et al) 1997;39:131
Myxoma
maxillary myxoma treated with wide resection and immediate reconstruction: a case report (Chen et al) 1997;39:87 (Case report)

Nasal bones
hemangioma of the nasal bones (Karacaoğlan et al) 1997;39:218 (Letter)
pedicled bone grafts to treat nasal bone defects associated with full-thickness loss of nose (Kobayashi et al) 1997;39:633 (Case report)
Nasal mucosa
re: how to harvest a septal chondromucosal graft (Tellioğlu) 1997;39:106 (Letter)
Nasal septum
re: how to harvest a septal chondromucosal graft (Tellioğlu) 1997;39:106 (Letter)
Neck
extended, pedicled rectus abdominis free tissue transfer for head and neck reconstruction (Cordeiro and Santamaria) 1997;39:53
is it necessary to suture the platysma muscle on the midline to improve the cervical profile? an anatomic study using 20 cadavers, with invited discussion by Feldman (Knipper et al) 1997;39: 566
Neoplasm metastasis
metastatic malignant blue nevus: a case report (Özgür et al) 1997;39:411 (Case report)
sentinel node excision for the diagnosis of metastatic neuroendocrine carcinoma of the skin: a case report (Javaheri et al) 1997;39:299 (Case report)
Neoplasm recurrence, local
recurrent giant cell tumor over a 23-year period (Weinzweig and Watson) 1997;39:659 (Case report)
Nerve compression syndromes
ulnar nerve compression at the wrist secondary to anomalous muscles: a patient with a variant of abductor digiti minimi (Netscher and Cohen) 1997;39:647 (Case report)
Neurilemmoma
benign giant schwannoma located in the upper arm (Kececi et al) 1997;39:100 (Case report)
Neuroendocrine carcinoma; *see* **Carcinoma**
Neurofibromatosis 1
management of a large arteriovenous fistula in the face: a case of neurofibromatosis type 1 (Yilmaz et al) 1997;39:308 (Case report)
Neutrophils
involvement of neutrophils in ischemic injury. I. biochemical and histopathological investigation of the effect of FK506 on dorsal skin flaps in rats (Cetinkale et al) 1997;39:505
Nevus, pigmented
metastatic malignant blue nevus: a case report (Özgür et al) 1997;39:411 (Case report)
treatment of giant congenital nevi with cryopreserved allogeneic skin and fresh autologous cultured epithelium (Kumagai et al) 1997;39:483
treatment of giant pigmented nevus using artificial

dermis and a secondary skin graft from the scalp (Soejima et al) 1997;39:489
Nipples
twin flap technique for nipple reconstruction (Venkat Ramakrishnan et al) 1997;39:241
Nitric oxide
physiological roles of endothelium-derived nitric oxide in the epigastric island flaps of rabbits (Oshima et al) 1997;39:608
role of nitric oxide in vascular permeability after a thermal injury (Sozumi) 1997;39:272
Nose
osseous autografts covered with temporalis fascia: looking for greater survival (Cárdenas-Camarena) 1997;39:669 (Letter)
pedicled bone grafts to treat nasal bone defects associated with full-thickness loss of nose (Kobayashi et al) 1997;39:633 (Case report)
reconstruction of a short nose by full-thickness tissue transfer with osteotomy (Kobayashi et al) 1997;39:628 (Case report)

Oral cavity; *see* **Mouth**
Osteotomy
reconstruction of a short nose by full-thickness tissue transfer with osteotomy (Kobayashi et al) 1997;39:628 (Case report)
Oxygen
oxgyen free radicals impair wound healing in ischemic rat skin (Ŝenel et al) 1997;39:516

Pain
complex regional pain syndrome of the breast in a patient after breast reduction (Papay et al) 1997;39:347
Palate
influence of different types of hard-palate closure in two-stage palatoplasty on maxillary growth: cephalometric analyses and long-term follow-up (Tanino et al) 1997;39:245
Papillary adenocarcinoma; *see* **Adenocarcinoma, papillary**
Parotid neoplasms
malignant mixed tumor of the parotid with myoepithelial carcinomatous and papillary adenocarcinomatous components (Akgüner et al) 1997;39:656 (Case report)
Partially edentulous jaw; *see* **Jaw, edentulous, partially**
Pedicled flaps; *see* **Flaps, pedicled**
Penicillin
evaluation of penicillin and hyperbaric oxygen in the treatment of streptococcal myositis (Zamboni et al) 1997;39:131
Penis
two patients with penile keloids: a review of the literature (Gürünlüoğlu et al) 1997;39:662 (Case reports)
Perfusion
effects of the number of pedicles on perfusion and survival of venous flaps: an experimental study in rabbits (Yilmaz et al) 1997;39:278
Permeability
role of nitric oxide in vascular permeability after a thermal injury (Sozumi) 1997;39:272
Personality disorders
psychological characteristics of women who undergo single and multiple cosmetic surgeries (Dunofsky) 1997;39:223
Phalanx; *see* **Fingers**
Pharynx
retrospective analysis of revision sphincter pharyngoplasty (Kasten et al) 1997;39:583
Piebaldism
treatment of extensive hypomelanosis with autologous cultured epithelium (Kumagai and Uchikoshi) 1997;39:68
Pigmentation disorders
terra firma forme dermatosis (Raveh et al) 1997;39:542 (Case report)
treatment of extensive hypomelanosis with autologous cultured epithelium (Kumagai and Uchikoshi) 1997;39:68
Plastic surgery
black and white (Morain) 1997;39:103 (Editorial)
psychological characteristics of women who undergo single and multiple cosmetic surgeries (Dunofsky) 1997;39:223
Reply (Allan) 1997;39:109 (Letter)
saving face (Morain) 1997;39:550 (Editorial)
Platysma muscle
is it necessary to suture the platysma muscle on the midline to improve the cervical profile? an anatomic study using 20 cadavers, with invited discussion by Feldman (Knipper et al) 1997;39:566
Poland syndrome
Poland's deformity reconstruction with a customized, extrasoft silicone prosthesis (Gatti) 1997;39:122
Polydactyly
lateral ray polydactyly: a case of duplicated metatarsal with normal phalanges (Hayashi et al) 1997;39:97 (Case report)
Postoperative care
clinical features and outcome of patients admitted to the intensive care unit after plastic surgical procedures: implications for cost reduction and quality of care (Talmor et al) 1997;39:74
Postoperative complications
complex regional pain syndrome of the breast in a patient after breast reduction (Papay et al) 1997;39:347
median sternotomy wound complication: the effect of reconstruction on lung function (Cohen et al) 1997;39:36
postoperative infection following clean facial surgery (Sylaidis et al) 1997;39:342
Pregnancy
new in vivo model for the study of fetal wound healing (Stelnicki et al) 1997;39:374
uncomplicated pregnancy following total bilateral

rectus harvest: a case report (Walker et al) 1997; 39:84 (Case report)
Prosthesis
Poland's deformity reconstruction with a customized, extrasoft silicone prosthesis (Gatti) 1997;39:122
Protective devices
mechanisms of burn injury secondary to airbag deployment (Hallock) 1997;39:111
Psychology
psychological characteristics of women who undergo single and multiple cosmetic surgeries (Dunofsky) 1997;39:223
Pulsed light; *see* **Light**

Quality of health care
clinical features and outcome of patients admitted to the intensive care unit after plastic surgical procedures: implications for cost reduction and quality of care (Talmor et al) 1997;39:74

Radiation
histopathological changes in irradiated vs. nonradiated tissue-expanded skin in the porcine model (Kao et al) 1997;39:287
Radionuclide imaging
sentinel node excision for the diagnosis of metastatic neuroendocrine carcinoma of the skin: a case report (Javaheri et al) 1997;39:299 (Case report)
Receptors, lymphocyte homing
expression of CD44-v6-containing isoform on breast tissue adjacent to silicone breast implants (Brunner et al) 1997;39:235
Rectus abdominis muscle
abdominal wall competence after free transverse rectus abdominis musculocutaneous flap harvest: a prospective study (Suominen et al) 1997;39:229
endoscopic rectus harvest: a simplified sheath-saving technique (Venkataramakrishnan and Southern) 1997;39:573
extended, pedicled rectus abdominis free tissue transfer for head and neck reconstruction (Cordeiro and Santamaria) 1997;39:53
method of breast reconstruction with a deepithelialized TRAM flap via the abdominal approach for failed implant salvage in postmastectomy patients (Yager and Chaglassian) 1997;39:178 (Case report)
uncomplicated pregnancy following total bilateral rectus harvest: a case report (Walker et al) 1997; 39:84 (Case report)
Reduction mammaplasty; *see* **Mammaplasty**
Reoperation
recurrent carpal tunnel syndrome following endoscopic carpal tunnel release: a preliminary report (Wheatley and Kaul) 1997;39:469
Residency; *see* **Internship and residency**
Retirement
Reply (Allan) 1997;39:109 (Letter)
Revascularization
successful hand revascularization with urokinase following a crush injury (Wheatley and Swift) 1997;39:94 (Case report)
Review articles
historical review of hemostasis, thrombosis, and antithrombotic therapy (Stassen and Nyström) 1997;39:317
treatment of scars: a review (Alster and West) 1997;39:418
Rheumatic diseases
connective tissue disease and other rheumatic conditions following breast implants in Denmark (Friis et al) 1997;39:1
Rhinoplasty
rhinoplasty as part of gender-confirming surgery in male transsexuals: basic considerations and clinical experience (Hage et al) 1997;39:266
Rhytidoplasty
Mycobacterium smegmatis infection in a healthy woman following a facelift: case report and review of the literature (Pennekamp et al) 1997; 39:80 (Case report)
Rotation flaps; *see* **Flaps, rotation**
Rupture
effects of capsular contracture on ultrasonic screening for silicone gel breast implant rupture (Medot et al) 1997;39:337

Saline solution
spontaneous autoinflation of saline mammary implants, with invited discussion by Frisch (Robinson and Benos) 1997;39:114
Saphenous vein
great saphenous vein fasciocutaneous island flap for immediate calcaneal wound reconstruction (Isenberg) 1997;39:193 (Case report)
Sarcoma
single-stage, multimodality treatment of soft-tissue sarcoma of the extremity (Abramson et al) 1997; 39:454
Scalp
calvarial deformity and remodeling following prolonged scalp expansion in a child (Calobrace and Downey) 1997;39:186 (Case report)
tension and flap advancement in the human scalp (Raposio and Nordström) 1997;39:20
treatment of giant pigmented nevus using artificial dermis and a secondary skin graft from the scalp (Soejima et al) 1997;39:489
Scar; *see* **Cicatrix**
Schwannoma; *see* **Neurilemmoma**
Screws; *see* **Bone screws**
Sensation
comparison of donor and recipient site sensation in free tissue reconstruction of the oral cavity (Cordeiro et al) 1997;39:461
Sentinel node excision; *see* **Lymph node excision**
Shaving
saving face (Morain) 1997;39:550 (Editorial)
Short subjects
computer-aided preoperative planning of tissue expansion (Raposio and Santi) 1997;39:416

Silicone
effects of capsular contracture on ultrasonic screening for silicone gel breast implant rupture (Medot et al) 1997;39:337
expression of CD44-v6-containing isoform on breast tissue adjacent to silicone breast implants (Brunner et al) 1997;39:235
outcome analysis of 100 women after explantation of silicone gel breast implants (Peters et al) 1997; 39:9
Poland's deformity reconstruction with a customized, extrasoft silicone prosthesis (Gatti) 1997;39:122
re: augmentation mammoplasty associated with a severe systemic illness (Marshall) (Letter); (Uretsky and Mayhall) (Reply) 1997;39:668
Skin, artificial
application of bilayer artificial skin to a defect following excisional biopsy for malignant melanomalike lesion (Hosokawa et al) 1997;39: 670 (Letter)
treatment of giant pigmented nevus using artificial dermis and a secondary skin graft from the scalp (Soejima et al) 1997;39:489
Skin, blood supply
mapping of the human body skin with laser Doppler flowmetry (Park et al) 1997;39:597
Skin, transplantation
comparison of donor and recipient site sensation in free tissue reconstruction of the oral cavity (Cordeiro et al) 1997;39:461
comparison of methodologies for the preparation of human epidermal-dermal composites (Ghosh et al) 1997;39:390
resurfacing a circumferentially degloved hand by using a full-thickness skin graft harvested from an avulsed skin flap (Jeng and Wei) 1997;39:360
treatment of giant congenital nevi with cryopreserved allogeneic skin and fresh autologous cultured epithelium (Kumagai et al) 1997;39:483
treatment of giant pigmented nevus using artificial dermis and a secondary skin graft from the scalp (Soejima et al) 1997;39:489
Skin aging
local injection into mimetic muscles of botulinum toxin A for the treatment of facial lines (Guerrissi and Sarkissian) 1997;39:447
Skin diseases
terra firma forme dermatosis (Raveh et al) 1997;39: 542 (Case report)
Skin flaps; *see* **Flaps, skin**
Skin neoplasms; *see also specific neoplasms*
sentinel node excision for the diagnosis of metastatic neuroendocrine carcinoma of the skin: a case report (Javaheri et al) 1997;39:299 (Case report)
Skull
calvarial deformity and remodeling following prolonged scalp expansion in a child (Calobrace and Downey) 1997;39:186 (Case report)
combined reverse temporalis muscle flap and pericranial flap for reconstruction of an anterior cranial base defect: a case report (Atabey et al) 1997;39:190 (Case report)
osseous autografts covered with temporalis fascia: looking for greater survival (Cárdenas-Camarena) 1997;39:669 (Letter)
Soft-tissue sarcoma; *see* **Sarcoma**
Specialties, medical
black and white (Morain) 1997;39:103 (Editorial)
Sphincter pharyngoplasty; *see* **Pharynx**
Sternum, surgery
median sternotomy wound complication: the effect of reconstruction on lung function (Cohen et al) 1997;39:36
Streptococcus pyogenes
evaluation of penicillin and hyperbaric oxygen in the treatment of streptococcal myositis (Zamboni et al) 1997;39:131
Stress, psychological
tale of two heartaches (Gorney) 1997;39:666 (Invited editorial)
Submental artery
submental artery island flap for reconstruction of the lower and mid face (Yilmaz et al) 1997;39:30
Surgical techniques
re: tumescent miniabdominoplasty (Worland) 1997; 39:332 (Letter)
Z-plasty practice for the beginner (Gürünlüoğlu et al) 1997;39:218 (Letter)
Surgical wound infection
Mycobacterium smegmatis infection in a healthy woman following a facelift: case report and review of the literature (Pennekamp et al) 1997; 39:80 (Case report)
postoperative infection following clean facial surgery (Sylaidis et al) 1997;39:342
Sutures
is it necessary to suture the platysma muscle on the midline to improve the cervical profile? an anatomic study using 20 cadavers, with invited discussion by Feldman (Knipper et al) 1997;39: 566
role of suture material in hypertrophic scar formation: monocryl vs. vicryl-rapide (Niessen et al) 1997;39:254
simple securing of subcuticular running suture (Stanec et al) 1997;39:332 (Letter)

Temporalis muscle
combined reverse temporalis muscle flap and pericranial flap for reconstruction of an anterior cranial base defect: a case report (Atabey et al) 1997;39:190 (Case report)
Terra firma forme dermatosis
terra firma forme dermatosis (Raveh et al) 1997;39: 542 (Case report)
Thermal injury; *see* **Burns**
Thorax
Poland's deformity reconstruction with a

customized, extrasoft silicone prosthesis (Gatti) 1997;39:122
Thrombosis
historical review of hemostasis, thrombosis, and antithrombotic therapy (Stassen and Nyström) 1997;39:317 (Review article)
Tissue expansion
calvarial deformity and remodeling following prolonged scalp expansion in a child (Calobrace and Downey) 1997;39:186 (Case report)
computer-aided preoperative planning of tissue expansion (Raposio and Santi) 1997;39:416 (Short subject)
effects of tissue expansion on the hemodynamic and survival characteristics of reverse-flow island flaps: an experimental study in rabbits (Mutaf et al) 1997;39:472
histopathological changes in irradiated vs. nonradiated tissue-expanded skin in the porcine model (Kao et al) 1997;39:287
pathological tissue expansion (Raurell et al) 1997; 39:435 (Letter)
Tissue transplantation
"Dr. Tagliacozzi, I presume?" (Weinzweig) 1997; 39:108 (Letter)
extended, pedicled rectus abdominis free tissue transfer for head and neck reconstruction (Cordeiro and Santamaria) 1997;39:53
reconstruction of a short nose by full-thickness tissue transfer with osteotomy (Kobayashi et al) 1997;39:628 (Case report)
Titanium
titanium screw implants for intermaxillary fixation of partially edentulous jaw, with invited discussion by Wolfe (Mavili) 1997;39:353
Torticollis
torticollis and traumatic ocular dystopia (Kamiji) 1997;39:554 (Letter)
Toxic shock syndrome
re: augmentation mammoplasty associated with a severe systemic illness (Marshall) (Letter); (Uretsky and Mayhall) (Reply) 1997;39:668
TRAM; *see* **Rectus abdominis muscle**
Transforming growth factor beta
exposure of fibroblasts derived from keloid patients to low-energy electronmagnetic fields: preferential inhibition of cell proliferation, collagen synthesis, and transforming growth factor beta expression in keloid fibroblasts in vitro (Nakajima et al) 1997;39:536
Transsexualism
rhinoplasty as part of gender-confirming surgery in male transsexuals: basic considerations and clinical experience (Hage et al) 1997;39:266
Tuberculosis
lupus vulgaris of the earlobe (Okazaki and Sakurai) 1997;39:643 (Case report)
Tumescent miniabdominoplasty; *see* **Abdomen**
Twin flaps; *see* **Flaps, twin**
Ulcer
hydroxyurea-related ankle ulcers in patients with myeloproliferative disorders: a case report and review of the literature (Cox et al) 1997;39:546 (Case report)
Ulnar nerve
ulnar nerve compression at the wrist secondary to anomalous muscles: a patient with a variant of abductor digiti minimi (Netscher and Cohen) 1997;39:647 (Case report)
Ultrasonography
anatomic evaluation of the facial artery and vein using color Doppler ultrasonography (Nagase et al) 1997;39:64
effects of capsular contracture on ultrasonic screening for silicone gel breast implant rupture (Medot et al) 1997;39:337
Umbilicus
method of reconstructing a natural-looking umbilicus in abdominoplasty (Otto et al) 1997; 39:435 (Letter)
Upper extremity; *see* **Arm**
Urban health
clever solution (Morain) 1997;39:216 (Editorial)
re: a clever solution (Krizek) 1997;39:557 (Letter)
Urokinase
successful hand revascularization with urokinase following a crush injury (Wheatley and Swift) 1997;39:94 (Case report)

Vascular malformations; *see* **Arteriovenous malformations**
Vascular permeability; *see* **Permeability**
Vasodilator agents
effects of vasoactive medications on the blood flow of island musculocutaneous flaps in swine (Cordeiro et al) 1997;39:524
Velopharyngeal insufficiency
retrospective analysis of revision sphincter pharyngoplasty (Kasten et al) 1997;39:583
Venous flaps; *see* **Flaps, vascularized**
Vicryl-rapide sutures; *see* **Sutures**
Vitiligo
treatment of extensive hypomelanosis with autologous cultured epithelium (Kumagai and Uchikoshi) 1997;39:68

Wires; *see* **Bone wires**
Women
psychological characteristics of women who undergo single and multiple cosmetic surgeries (Dunofsky) 1997;39:223
Wound contraction; *see* **Contracture**
Wound healing
new in vivo model for the study of fetal wound healing (Stelnicki et al) 1997;39:374
oxgyen free radicals impair wound healing in ischemic rat skin (Ŝenel et al) 1997;39:516
simple securing of subcuticular running suture (Stanec et al) 1997;39:332 (Letter)
Wounds and injuries
case report: sequential vascular connection of free

flaps in the upper extremity (Dzwierzynski et al) 1997;39:303 (Case report)
resurfacing a circumferentially degloved hand by using a full-thickness skin graft harvested from an avulsed skin flap (Jeng and Wei) 1997;39:360
reversed arterial flow in free flap surgery for leg reconstruction (Lin et al) 1997;39:590
rotation advancement in traumatic upper lip ectropion (Narsete) 1997;39:652 (Case report)
successful hand revascularization with urokinase following a crush injury (Wheatley and Swift) 1997;39:94 (Case report)
total reconstruction of a partial-thickness upper eyelid defect with the expanded forehead flap (Han) 1997;39:24
treatment of a degloved hand injury by arteriovenous anastomosis: a case report (Takeuchi et al) 1997;39:174 (Case report)

Wrinkles; *see* **Skin aging**

Wrist
ulnar nerve compression at the wrist secondary to anomalous muscles: a patient with a variant of abductor digiti minimi (Netscher and Cohen) 1997;39:647 (Case report)

Z-plasty
Z-plasty practice for the beginner (Gürünlüoğlu et al) 1997;39:218 (Letter)